







# PCBs and Related Compounds



AccuStandard®

Certified Reference Standards

**To facilitate the availability and distribution of PCBs, the EPA granted manufacturing and export exemptions to a few select standards manufacturers.**

**The Founder of AccuStandard, Inc. was the first to obtain this exemption. AccuStandard is the leader in synthesizing PCBs. Indeed, it is the first - and so far the only - manufacturer to have synthesized all 209 congeners. Our expertise can assist you in your PCB investigations.**

## Legacy

Polychlorinated biphenyls (PCBs) were manufactured worldwide for a large number of technical applications. The chemical stability of PCB's made them exceptionally suitable as coolants and insulating fluids for transformers and capacitors. Other applications included carbonless copy paper, paints, hydraulic fluids, plasticizers, plastic additives and flame retardants. Estimates suggest that the total global production volume of PCBs exceeded 1.5 million tons. As late as 1984, about 758 million pounds were still in use in the United States alone.

The toxicity associated with PCBs was already documented in medical cases in the 1920's and 30's. Factory workers involved in the manufacturing of PCBs exhibited detrimental health effects like severe skin conditions. In 1968, Japan reported the first of over 1200 patients, many of them children, who developed acne-type skin eruptions (chloracne) and other clinical symptoms. The contamination of rice oil (Yusho) with industrial PCBs (Kannechlor 400) was the source of this malady, later termed Yusho Disease. The average amount of actual PCBs consumed by the victims was estimated at two grams. By 1973, 22 of the 1200 victims had died, 41% from malignant tumors, suggesting a possible link to PCB ingestion.

One of the first signals of the effect of PCBs on the environment in the United States was noted in 1970, on Great Gull Island at the entrance to Long Island Sound. Scientists observed a sharp increase in the number of abnormalities found in young sea gulls such as feather loss, crossed beaks and four legs. In addition, the egg shells were extremely thin.

By 1979, the production of PCBs was banned in the United States. In 2001, PCBs were added to the list of Persistent Organic Pollutants by the Stockholm Convention of Persistent Organic Pollutants.

The high persistency and ubiquitous distribution through prior use, disposal and leakages have caused global contamination of soils, air, rivers and other waterways that will affect our food and water supplies for years to come. Although PCB concentrations in the environment are slowly decreasing, a constant, low-level human PCB exposure via dietary intake and inhalation of contaminated indoor air is still of concern. Numerous studies have linked PCBs, even at low levels, to toxic effects such as endocrine disruption, neurotoxicity, immunotoxicity and carcinogenesis.

## Toxicity and molecular structure

There are 209 PCB congeners containing one to ten chlorine atoms. Technical mixtures like Aroclors contain about 130 of these congeners.

The toxicity and environmental impact of the congeners correlate to their substitution pattern and fall into two general categories: coplanar (or non-ortho-substituted) and noncoplanar (or ortho-substituted).

Congeners that contain no chlorine substitutions in the ortho positions are structurally more rigid because the two phenyl rings remain in the same plane (coplanar). This makes them dioxin-like not only structurally but also regarding their toxicity. They are more toxic than those having chlorine atoms in the ortho positions (noncoplanar). The most toxic PCBs are the tetra, penta and hexachlorobiphenyl congeners that are unsubstituted in the ortho position.

## PCB Metabolites

PCBs are metabolized in vivo to hydroxyl and sulfur compounds. They can be formed in different organisms, including humans and birds of prey. Many studies suggest that these metabolites can be more toxic than the parent compounds.

AccuStandard offers a variety of hydroxyl-/methoxy-PCBs as well as methylsulfonyl-PCB congeners.

## Analytical Methods and Reference Materials

To obtain meaningful analytical data, the PCB congeners need to be formulated into groupings of solutions that are all resolved on a gas chromatographic column. The single column on which all 209 congeners are separated has, to date, eluded all GC column manufacturers.

There are some columns that are closest to achieving the status of separating all the PCB congeners. They are Agilent DB-XLB and SGE's HT 8 which resolve all but four pairs of significant congeners and five pairs of minor congeners.

Earlier work by George Frame and his co-workers at General Electric Company have coordinated a seminal study of specially formulated PCB groups - five of which are composed of the congeners contained in Aroclors, the remaining four mixtures contain those congeners generally absent in Aroclors. AccuStandard prepared and supplied the nine mixtures used in Dr. Frame's study from its inventory of the 209 pure congeners.

These nine mixtures were then tested on 17 different columns by independent laboratories and column manufacturers. The resulting chromatographic retention time and response data was compiled and published. This information has proven invaluable for identification and quantification of the different Aroclors as well as for congener specific analysis.

In the course of the investigations, it was determined that some of the 209 congeners that constitute the industrial PCB product behave differently than others. Therefore it is very helpful, even essential, to the scientific and regulatory communities, that individual congeners be available. For this reason, the EPA permits the synthesis and distribution of small quantities for research purposes.

# Contents

<b>Individual 209 PCB Congeners (NEAT and SOLUTION)</b>	<b>2-5</b>	<b>Aroclors</b>	<b>17</b>
<b>Method 1668 - Mixes for Congener Specific PCB Analysis</b>	<b>6-7</b>	<b>PCB Metabolites</b>	<b>18-19</b>
<b>Congener Specific PCB Analysis</b>	<b>8-11</b>	Hydroxy-Chlorobiphenyls	18
Canadian Methods	8	Methoxy PCBs <b>UPDATED</b>	19
Interated Atmospheric Deposition Network (IADN)	9	Methylsulfonyl PCB Congeners	19
PCB Congener Content Evaluation	9	Hydroxy-Biphenyls	19
Formulation for Toxicity and Abundance Studies	10	<b>Other Halogenated Aromatics</b>	<b>20-21</b>
Miscellaneous PCB Analysis Mixtures	11	Polychlorinated Terphenyls <b>UPDATED</b>	20
<b>PCB Congener Calibration Mixtures</b>	<b>12-14</b>	Perchlorinated Aromatics	20
9 Mixes, 209 Congeners Present/Not Present in Aroclors	12-13	Halogenated Aromatics (other than PCBs)	20
Method 680 - PCB Congener Calibration Mixtures	14	Polychlorinated Naphthalenes	21
Method 8082 - PCB Congener Mixtures	15	Chlorodiphenyl Ethers <b>UPDATED</b>	21
<b>Instrument Test Solutions</b>	<b>16</b>		

In 1993, AccuStandard completed the syntheses of all 209 congeners (with 99+% purity).

**New Compounds**  
**6 Methoxy PCBs**  
**10 Polychlorinated Terphenyls**  
**6 Chlorodiphenyl Ethers**

## Technical Literature




PCB related papers visit <https://www.accustandard.com/publications-presentations>

### Physical, Spectral and Chromatographic Properties of All 209 Individual PCB Congeners

Chemosphere, Vol. 31.2, pp. 2687-2705, 1995. Michael Bolgar, James Cunningham, Russell Cooper, Richard Kozloski and Jack Hubball

### GC Elution Order Data, Design & Employment of 9 PCB Congener Mixtures for Conducting Comprehensive, Quantitative Congener-Specific (QCS) PCB Analyses

Close Elutions of PCB Congeners in 9 Mixes on 12 Phases, Capillary GC System Characteristics, Researchers and Aroclor PCB Coelutions and System Resolving Power, GC Column Injection, Column Pressure and Temp. Parameters, Distribution of PCB Congeners into 9 Mixes for Calibration on 12 GC Columns, Elution Order Tables. By Dr. George Frame




### Analytical Chemistry of PCBs

The Second Edition of this book is a comprehensive review of the analytical chemistry of PCBs. It is an invaluable resource for both chemists with no experience in PCB analysis and seasoned PCB researchers.

**PCB Book**  
**Analytical Chemistry of PCBs**  
**BOOK-PCB-001**

# Chlorobiphenyl Congeners (PCBs)

- All 209 congeners are available in Neat and Solution form
- All congeners are 99% pure by GC/FID or GC/MS



## 209 Solutions in a Set Exclusive

C-35-SET

35 µg/mL in Isooctane

C-100-SET

100 µg/mL in Isooctane

set of 209 x 1 mL

set of 209 x 1 mL

Purity 99%

SOLUTIONS in Isooctane

## Chlorobiphenyl Congeners (PCBs)

No.	Compound	CAS No.	NEAT Cat. No.	Unit	35 µg/mL Cat. No.	1 mL	100 µg/mL Cat. No.	1 mL
1	2-Chlorobiphenyl	2051-60-7	C-001N	50 mg	C-001S		C-001S-TP	
2	3-Chlorobiphenyl	2051-61-8	C-002N	50 mg	C-002S		C-002S-TP	
3	4-Chlorobiphenyl	2051-62-9	C-003N	50 mg	C-003S		C-003S-TP	
4	2,2'-Dichlorobiphenyl	13029-08-8	C-004N	25 mg	C-004S		C-004S-TP	
5	2,3-Dichlorobiphenyl	16605-91-7	C-005N	50 mg	C-005S		C-005S-TP	
6	2,3'-Dichlorobiphenyl	25569-80-6	C-006N	5 mg	C-006S		C-006S-TP	
7	2,4-Dichlorobiphenyl	33284-50-3	C-007N	25 mg	C-007S		C-007S-TP	
8	2,4'-Dichlorobiphenyl	34883-43-7	C-008N	25 mg	C-008S		C-008S-TP	
9	2,5-Dichlorobiphenyl	34883-39-1	C-009N	50 mg	C-009S		C-009S-TP	
10	2,6-Dichlorobiphenyl	33146-45-1	C-010N	25 mg	C-010S		C-010S-TP	
11	3,3'-Dichlorobiphenyl	2050-67-1	C-011N	50 mg	C-011S		C-011S-TP	
12	3,4-Dichlorobiphenyl	2974-92-7	C-012N	50 mg	C-012S		C-012S-TP	
13	3,4'-Dichlorobiphenyl	2974-90-5	C-013N	5 mg	C-013S		C-013S-TP	
14	3,5-Dichlorobiphenyl	34883-41-5	C-014N	50 mg	C-014S		C-014S-TP	
15	4,4'-Dichlorobiphenyl	2050-68-2	C-015N	10 mg	C-015S		C-015S-TP	
16	2,2',3-Trichlorobiphenyl	38444-78-9	C-016N	5 mg	C-016S		C-016S-TP	
17	2,2',4-Trichlorobiphenyl	37680-66-3	C-017N	5 mg	C-017S		C-017S-TP	
18	2,2',5-Trichlorobiphenyl	37680-65-2	C-018N	25 mg	C-018S		C-018S-TP	
19	2,2',6-Trichlorobiphenyl	38444-73-4	C-019N	5 mg	C-019S		C-019S-TP	
20	2,3,3'-Trichlorobiphenyl	38444-84-7	C-020N	5 mg	C-020S		C-020S-TP	
21	2,3,4-Trichlorobiphenyl	55702-46-0	C-021N	25 mg	C-021S		C-021S-TP	
22	2,3,4'-Trichlorobiphenyl	38444-85-8	C-022N	5 mg	C-022S		C-022S-TP	
23	2,3,5-Trichlorobiphenyl	55720-44-0	C-023N	5 mg	C-023S		C-023S-TP	
24	2,3,6-Trichlorobiphenyl	55702-45-9	C-024N	10 mg	C-024S		C-024S-TP	
25	2,3,4-Trichlorobiphenyl	55712-37-3	C-025N	5 mg	C-025S		C-025S-TP	
26	2,3',5-Trichlorobiphenyl	38444-81-4	C-026N	25 mg	C-026S		C-026S-TP	
27	2,3',6-Trichlorobiphenyl	38444-76-7	C-027N	5 mg	C-027S		C-027S-TP	
28	2,4,4'-Trichlorobiphenyl	7012-37-5	C-028N	10 mg	C-028S		C-028S-TP	
29	2,4,5-Trichlorobiphenyl	15862-07-4	C-029N	50 mg	C-029S		C-029S-TP	
30	2,4,6-Trichlorobiphenyl	35693-92-6	C-030N	50 mg	C-030S		C-030S-TP	
31	2,4',5-Trichlorobiphenyl	16606-02-3	C-031N	25 mg	C-031S		C-031S-TP	
32	2,4',6-Trichlorobiphenyl	38444-77-8	C-032N	5 mg	C-032S		C-032S-TP	
33	2',3,4-Trichlorobiphenyl	38444-86-9	C-033N	10 mg	C-033S		C-033S-TP	
34	2',3,5-Trichlorobiphenyl	37680-68-5	C-034N	5 mg	C-034S		C-034S-TP	
35	3,3',4-Trichlorobiphenyl	37680-69-6	C-035N	5 mg	C-035S		C-035S-TP	
36	3,3',5-Trichlorobiphenyl	38444-87-0	C-036N	5 mg	C-036S		C-036S-TP	
37	3,4,4'-Trichlorobiphenyl	38444-90-5	C-037N	5 mg	C-037S		C-037S-TP	
38	3,4,5-Trichlorobiphenyl	53555-66-1	C-038N	5 mg	C-038S		C-038S-TP	
39	3,4',5-Trichlorobiphenyl	38444-88-1	C-039N	5 mg	C-039S		C-039S-TP	



### Technical Note


For specific applications (i.e. toxicological studies) that require absolute dioxin and furan-free PCBs please contact Technical Service.

Significant discounts are available on larger quantities of selected congeners.





# Chlorobiphenyl Congeners (PCBs)



Purity 99+%

SOLUTIONS in Isooctane

## Chlorobiphenyl Congeners (PCBs)

No.	Compound	CAS No.	NEAT Cat. No.	Unit	35 µg/mL Cat. No.	1 mL	100 µg/mL Cat. No.	1 mL
170	2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6	C-170N	5 mg	C-170S		C-170S-TP	
171	2,2',3,3',4,4',6-Heptachlorobiphenyl	52663-71-5	C-171N	5 mg	C-171S		C-171S-TP	
172	2,2',3,3',4,5,5'-Heptachlorobiphenyl	52663-74-8	C-172N	5 mg	C-172S		C-172S-TP	
173	2,2',3,3',4,5,6-Heptachlorobiphenyl	68194-16-1	C-173N	5 mg	C-173S		C-173S-TP	
174	2,2',3,3',4,5,6-Heptachlorobiphenyl	38411-25-5	C-174N	5 mg	C-174S		C-174S-TP	
175	2,2',3,3',4,5',6-Heptachlorobiphenyl	40186-70-7	C-175N	5 mg	C-175S		C-175S-TP	
176	2,2',3,3',4,6,6'-Heptachlorobiphenyl	52663-65-7	C-176N	5 mg	C-176S		C-176S-TP	
177	2,2',3,3',4',5,6-Heptachlorobiphenyl	52663-70-4	C-177N	5 mg	C-177S		C-177S-TP	
178	2,2',3,3',5,5',6-Heptachlorobiphenyl	52663-67-9	C-178N	5 mg	C-178S		C-178S-TP	
179	2,2',3,3',5,6,6'-Heptachlorobiphenyl	52663-64-6	C-179N	5 mg	C-179S		C-179S-TP	
180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3	C-180N	5 mg	C-180S		C-180S-TP	
181	2,2',3,4,4',5,6-Heptachlorobiphenyl	74472-47-2	C-181N	5 mg	C-181S		C-181S-TP	
182	2,2',3,4,4',5,6-Heptachlorobiphenyl	60145-23-5	C-182N	5 mg	C-182S		C-182S-TP	
183	2,2',3,4,4',5',6-Heptachlorobiphenyl	52663-69-1	C-183N	5 mg	C-183S		C-183S-TP	
184	2,2',3,4,4',6,6'-Heptachlorobiphenyl	74472-48-3	C-184N	5 mg	C-184S		C-184S-TP	
185	2,2',3,4,5,5',6-Heptachlorobiphenyl	52712-05-7	C-185N	5 mg	C-185S		C-185S-TP	
186	2,2',3,4,5,6,6'-Heptachlorobiphenyl	74472-49-4	C-186N	5 mg	C-186S		C-186S-TP	
187	2,2',3,4,5,5',6-Heptachlorobiphenyl	52663-68-0	C-187N	5 mg	C-187S		C-187S-TP	
188	2,2',3,4,5,6,6'-Heptachlorobiphenyl	74487-85-7	C-188N	5 mg	C-188S		C-188S-TP	
189	2,3,3',4,4',5,5'-Heptachlorobiphenyl	39635-31-9	C-189N	5 mg	C-189S		C-189S-TP	
190	2,3,3',4,4',5,6-Heptachlorobiphenyl	41411-64-7	C-190N	5 mg	C-190S		C-190S-TP	
191	2,3,3',4,4',5',6-Heptachlorobiphenyl	74472-50-7	C-191N	5 mg	C-191S		C-191S-TP	
192	2,3,3',4,5,5',6-Heptachlorobiphenyl	74472-51-8	C-192N	5 mg	C-192S		C-192S-TP	
193	2,3,3',4,5,5',6-Heptachlorobiphenyl	69782-91-8	C-193N	5 mg	C-193S		C-193S-TP	
194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	35694-08-7	C-194N	5 mg	C-194S		C-194S-TP	
195	2,2',3,3',4,4',5,6-Octachlorobiphenyl	52663-78-2	C-195N	5 mg	C-195S		C-195S-TP	
196	2,2',3,3',4,4',5,6'-Octachlorobiphenyl	42740-50-1	C-196N	5 mg	C-196S		C-196S-TP	
197	2,2',3,3',4,4',6,6'-Octachlorobiphenyl	33091-17-7	C-197N	5 mg	C-197S		C-197S-TP	
198	2,2',3,3',4,5,5',6-Octachlorobiphenyl	68194-17-2	C-198N	5 mg	C-198S		C-198S-TP	
199	2,2',3,3',4,5,5',6'-Octachlorobiphenyl	52663-75-9	C-199N-R1	5 mg	C-199S-R1		C-199S-TP-R1	
200	2,2',3,3',4,5,6,6'-Octachlorobiphenyl	52663-73-7	C-200N-R1	5 mg	C-200S-R1		C-200S-TP-R1	
201	2,2',3,3',4,5',6,6'-Octachlorobiphenyl	40186-71-8	C-201N-R1	5 mg	C-201S-R1		C-201S-TP-R1	
202	2,2',3,3',5,5',6,6'-Octachlorobiphenyl	2136-99-4	C-202N	5 mg	C-202S		C-202S-TP	
203	2,2',3,4,4',5,5',6-Octachlorobiphenyl	52663-76-0	C-203N	5 mg	C-203S		C-203S-TP	
204	2,2',3,4,4',5,6,6'-Octachlorobiphenyl	74472-52-9	C-204N	5 mg	C-204S		C-204S-TP	
205	2,3,3',4,4',5,5',6-Octachlorobiphenyl	74472-53-0	C-205N	5 mg	C-205S		C-205S-TP	
206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9	C-206N	5 mg	C-206S		C-206S-TP	
207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	52663-79-3	C-207N	5 mg	C-207S		C-207S-TP	
208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	52663-77-1	C-208N	5 mg	C-208S		C-208S-TP	
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	2051-24-3	C-209N	10 mg	C-209S		C-209S-TP	

### Technical Note

The PCB congener numbering system is being used. The only changes from the BZ numbering system affect congeners #199 (formerly BZ#201), #200 (formerly BZ#199) and #201 (formerly BZ#200).

### PCB Questions?

AccuStandard chemists have been involved in the synthesis of PCBs and related compounds for over 30 years.

You can rely on our experience and expertise in this area.







# Congener Specific PCB Analysis

## Integrated Atmospheric Deposition Network (IADN)

The Integrated Atmospheric Deposition Network is composed of five agencies: the US EPA, Environment Canada's (EC) Metrological Service of Canada, EC's National Water Research Institute (NWRI), EC's Ecosystem Health Division of Ontario Region (EHD), and the Ontario Ministry of Environment (OME) whose goal it is to cooperatively implement the Great Lakes Water Quality Agreement.

This agreement requires certain chemicals to be monitored. The tier 1 group specifically calls for the measurement of PCB congeners. AccuStandard was requested to develop a set of IADN PCB congener standards to meet this specific chemical list.

### IADN Congener Set

C-IADN-SET

3 x 1 mL (C-IADN-01, C-IADN-02, C-IADN-03)

#### IADN Congener Standard #1

C-IADN-01

30 µg/mL each in Isooctane

1 x 1 mL

28 comps.

2,2'-Dichlorobiphenyl  
2,4-Dichlorobiphenyl  
2,6-Dichlorobiphenyl  
4,4'-Dichlorobiphenyl  
2,2',5-Trichlorobiphenyl  
2,4,4'-Trichlorobiphenyl  
2,4',6-Trichlorobiphenyl  
2,2',3,4-Tetrachlorobiphenyl  
2,2',3,6-Tetrachlorobiphenyl  
2,2',5,5'-Tetrachlorobiphenyl  
2,3,3',4'-Tetrachlorobiphenyl  
2,3',4,4'-Tetrachlorobiphenyl  
2,4,4'-5-Tetrachlorobiphenyl  
3,4,4'-5-Tetrachlorobiphenyl  
2,2',3,4,4'-Pentachlorobiphenyl  
2,2',3,4',6-Pentachlorobiphenyl  
2,2',3,4,5-Pentachlorobiphenyl  
2,2',4,5,5'-Pentachlorobiphenyl  
2,3,4,4',5-Pentachlorobiphenyl  
2',3,4,4',5-Pentachlorobiphenyl  
2,2',3,3',4,6-Hexachlorobiphenyl  
2,2',3,4,4',5-Hexachlorobiphenyl  
2,2',4,4',5,5'-Hexachlorobiphenyl  
2,3',4,4',5,5'-Hexachlorobiphenyl  
2,2',3,3',4,4',6-Heptachlorobiphenyl  
2,2',3,4,4',5,5'-Heptachlorobiphenyl  
2,2',3,3',4,5,6,6'-Octachlorobiphenyl  
2,3,3',4,4',5,5',6-Octachlorobiphenyl

#### IADN Congener Standard #2

C-IADN-02

30 µg/mL each in Isooctane

1 x 1 mL

28 comps.

2,3-Dichlorobiphenyl  
2,4'-Dichlorobiphenyl  
3,4-Dichlorobiphenyl  
2,2',3-Trichlorobiphenyl  
2,2',6-Trichlorobiphenyl  
2,3',5-Trichlorobiphenyl  
2',3,4-Trichlorobiphenyl  
2,2',3,4'-Tetrachlorobiphenyl  
2,2',4,4'-Tetrachlorobiphenyl  
2,2',4,5'-Tetrachlorobiphenyl  
2,3,4,4'-Tetrachlorobiphenyl  
2,3',4',5-Tetrachlorobiphenyl  
2',3,4,5-Tetrachlorobiphenyl  
2,2',3,3',5-Pentachlorobiphenyl  
2,2',3,4,5-Pentachlorobiphenyl  
2,2',3,5,5'-Pentachlorobiphenyl  
2,2',4,4',5-Pentachlorobiphenyl  
2,3,3',4,4'-Pentachlorobiphenyl  
2,3',4,4',5-Pentachlorobiphenyl  
3,3',4,4',5-Pentachlorobiphenyl  
2,2',3,3',4,6'-Hexachlorobiphenyl  
2,2',3,4,5,6-Hexachlorobiphenyl  
2,2',3,4,4',5,5'-Hexachlorobiphenyl  
2,3',4,4',5,5'-Hexachlorobiphenyl  
2,2',3,3',4,5,5',6'-Octachlorobiphenyl  
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl

#### IADN Congener Standard #3

C-IADN-03

30 µg/mL each in Isooctane

1 x 1 mL

28 comps.

2,3'-Dichlorobiphenyl  
2,5-Dichlorobiphenyl  
3,4'-Dichlorobiphenyl  
2,2',4-Trichlorobiphenyl  
2,3,4'-Trichlorobiphenyl  
2,4',5-Trichlorobiphenyl  
3,4,4'-Trichlorobiphenyl  
2,2',3,5'-Tetrachlorobiphenyl  
2,2',4,5-Tetrachlorobiphenyl  
2,2',5,6-Tetrachlorobiphenyl  
2,3,4',6-Tetrachlorobiphenyl  
3,3',4,4'-Tetrachlorobiphenyl  
2,2',3,3',6-Pentachlorobiphenyl  
2,2',3,4,6'-Pentachlorobiphenyl  
2,2',3,5,6-Pentachlorobiphenyl  
2,2',4,4',6-Pentachlorobiphenyl  
2,3,3',4',6-Pentachlorobiphenyl  
2,3',4,4',6-Pentachlorobiphenyl  
2,2',3,3',4,4'-Hexachlorobiphenyl  
2,2',3,3',5,6'-Hexachlorobiphenyl  
2,2',3,4',5,6-Hexachlorobiphenyl  
2,2',3,3',4,4',5-Heptachlorobiphenyl  
2,2',3,3',4,5,6'-Heptachlorobiphenyl  
2,2',3,3',4,4',5,5'-Octachlorobiphenyl  
2,2',3,3',4,4',5,6,6'-Octachlorobiphenyl  
2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl

## PCB Congener Content Evaluation

These Congener Calibration mixes have been formulated to meet the proposed International standard titled "Insulating Liquids - Contamination by PCBs - Method of Determination by Capillary Column Gas Chromatography."

### Mix #1

AE-00059

AE-00059-10ML

1 x 1 mL

1 x 10 mL

10 µg/mL each in Isooctane

No.

28 2,4,4'-Trichlorobiphenyl  
52 2,2',5,5'-Tetrachlorobiphenyl  
101 2,2',4,5,5'-Pentachlorobiphenyl  
138 2,2',3,4,4',5'-Hexachlorobiphenyl  
153 2,2',4,4',5,5'-Hexachlorobiphenyl  
180 2,2',3,4,4',5,5'-Heptachlorobiphenyl

### Mix #2

AE-00060

AE-00060-10ML

1 x 1 mL

1 x 10 mL

10 µg/mL each in Isooctane

No.

77 3,3',4,4'-Tetrachlorobiphenyl  
126 3,3',4,4',5-Pentachlorobiphenyl  
169 3,3',4,4',5,5'-Hexachlorobiphenyl

### Congener Calibration Mix

AE-00061

AE-00061-10ML

1 x 1 mL

1 x 10 mL

10 µg/mL each in Isooctane

No.

18 2,2',5-Trichlorobiphenyl  
28 2,4,4'-Trichlorobiphenyl  
31 2,4',5-Trichlorobiphenyl  
44 2,2',3,5'-Tetrachlorobiphenyl  
52 2,2',5,5'-Tetrachlorobiphenyl  
101 2,2',4,5,5'-Pentachlorobiphenyl  
118 2,3',4,4',5-Pentachlorobiphenyl  
138 2,2',3,4,4',5'-Hexachlorobiphenyl  
149 2,2',3,4,5,6-Hexachlorobiphenyl  
153 2,2',4,4',5,5'-Hexachlorobiphenyl  
170 2,2',3,3',4,5-Heptachlorobiphenyl  
180 2,2',3,4,4',5,5'-Heptachlorobiphenyl  
194 2,2',3,3',4,4',5,5'-Octachlorobiphenyl  
209 Decachlorobiphenyl

### Internal Standards

Each at 100 µg/mL in Isooctane

C-030S-TP

1 x 1 mL

2,4,6-Trichlorobiphenyl

C-209S-TP

1 x 1 mL

2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl

### Technical Note

These congener content evaluation mixtures have proven useful for European laboratories estimating the PCB content of a sample when following EU guideline 96/59/EU for cleanup of PCBs.

# Congener Specific PCB Analysis

## Toxicity and Abundance Based PCB Congener Formulations

A study was conducted in 1989 by McFarland and J. Clarke<sup>1</sup>, (Environmental Occurrence, Abundance, and Potential Toxicity of Polychlorinated Biphenyl Congeners: Consideration for a Congener - Specific Analysis). The data that formed the basis for conclusions in the study have been referenced by the National Oceanic & Atmospheric Administration (NOAA) which came out with a method in the same year.

### Abundance Analysis

Five of the solutions AccuStandard offers are formulated to assist the investigator or analytical Chemist in their own studies and can be purchased individually or as a complete set (C-SCA-SET). According to the study the 36 congeners contained in these five groups are considered environmentally threatening due to their frequency of occurrence in environmental samples, abundance in the Aroclors and potential toxicity.

**Group 1a:** comprises the three congeners present to a small extent in the Aroclors that are the most toxic and have been characterized as pure 3-Methyl cholanthrene - type (3-MC) inducers.

**Group 1b:** congeners are mixed-type inducers but are of somewhat lesser toxicity and are very abundant in the Aroclors as well as in the environment. It includes Congener #105 which, while not as prevalent, is potentially almost as toxic as the Group 1a congeners.

**Group 2:** includes the congeners which are Phenobarbital - type (PB) inducers for Mixed-Function Oxidase enzymes. These are less toxic but more abundant in the environment. They represent 25-41% of total PCB content found in animal tissue.

**Group 3:** congeners are weak- or non-inducers representing about 10% of the PCB content of tissues.

**Group 4:** congeners have some potential for toxicity but have very low presence in tissue.

### Toxicity Analysis

A sixth solution is prepared for the analyst who is investigating the presence of PCB congeners in food and human tissues. Specific congeners are selected by K.C. Jones<sup>2</sup> as outlined in his article referenced below which is titled, "Determination of polychlorinated biphenyls in human food stuffs and tissues: Suggestions for a selective congener analytical approach."

### Literature Reference

1. V.A. McFarland and J.U. Clarke, Environmental Health Perspectives, vol. 81, pp 225-239 (1989).
2. K.C. Jones, Sci. Total Environment, vol. 68, pp 141-159 (1988).

## Formulations for Toxicity & Abundance Studies

### C-SCA-SET

#### Complete Set of PCB Congeners

5 x 1 mL (includes C-SCA-01, C-SCA-02, C-SCA-03, C-SCA-04, C-SCA-05)

### Mix #1 Group 1a (3 MC Type Inducers)

#### C-SCA-01

10 µg/mL each in Isooctane

1 x 1 mL

3 comps.

3,3',4,4'-Tetrachlorobiphenyl (77)      3,3',4,4',5,5'-Hexachlorobiphenyl (169)  
3,3',4,4',5-Pentachlorobiphenyl (126)

### Mix #2 Group 1b (Mixed Type Inducers)

#### C-SCA-02

10 µg/mL each in Isooctane

1 x 1 mL

6 comps.

2,3,3',4,4'-Pentachlorobiphenyl (105)      2,2',3,4,4',5'-Hexachlorobiphenyl (138)  
2,3',4,4',5-Pentachlorobiphenyl (118)      2,3,3',4,4',5-Hexachlorobiphenyl (156)  
2,2',3,3',4,4'-Hexachlorobiphenyl (128)      2,2',3,3',4,4',5-Heptachlorobiphenyl (170)

### Mix #3 Group 2 (PB Type Inducers)

#### C-SCA-03

10 µg/mL each in Isooctane

1 x 1 mL

7 comps.

2,2',3,4,5'-Pentachlorobiphenyl (87)      2,2',3,4,4',5,5'-Heptachlorobiphenyl (180)  
2,2',4,4',5-Pentachlorobiphenyl (99)      2,2',3,4,4',5',6-Heptachlorobiphenyl (183)  
2,2',4,5,5'-Pentachlorobiphenyl (101)      2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194)  
2,2',4,4',5,5'-Hexachlorobiphenyl (153)

### Mix #4 Group 3 (Non-Inducer Type)

#### C-SCA-04

10 µg/mL each in Isooctane

1 x 1 mL

10 comps.

2,2',5-Trichlorobiphenyl (18)      2,4,4',5-Tetrachlorobiphenyl (74)  
2,2',3,5'-Tetrachlorobiphenyl (44)      2,2',3,5,5',6-Hexachlorobiphenyl (151)  
2,2',4,5'-Tetrachlorobiphenyl (49)      2,2',3,3',4',5,6-Heptachlorobiphenyl (177)  
2,2',5,5'-Tetrachlorobiphenyl (52)      2,2',3,4',5,5',6-Heptachlorobiphenyl (187)  
2,3',4',5-Tetrachlorobiphenyl (70)      2,2',3,3',4,5,5',6-Octachlorobiphenyl (199)

### Non-Ortho Substituted PCBs

#### C-SCA-DIOXLIK

10 µg/mL each in Isooctane

1 x 1 mL

4 comps.

3,3',4,4'-Tetrachlorobiphenyl (77)  
3,3',4,4',5-Pentachlorobiphenyl (126)  
3,3',4,4',5,5'-Hexachlorobiphenyl (169)  
3,4,4',5-Tetrachlorobiphenyl (81)

### Internal Standard

#### C-EU-IS-10ML

At stated conc. in Isooctane

1 x 10 mL

2 comps.

2,4,6-Trichlorobiphenyl  
2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl

### Dutch Seven PCBs Standard

#### PCB-DUTCH7-SET

100 µg/mL each in Isooctane

7 x 1 mL

#### PCB-DUTCH7

10 µg/mL each in Isooctane

1 x 1 mL

7 comps.

2,4,4'-Trichlorobiphenyl  
2,2',5,5'-Tetrachlorobiphenyl  
2,2',4,5,5'-Pentachlorobiphenyl  
2,3',4,4',5-Pentachlorobiphenyl  
2,2',3,4,4',5-Hexachlorobiphenyl  
2,2',4,4',5,5'-Hexachlorobiphenyl  
2,2',3,4,4',5,5'-Heptachlorobiphenyl

# Congener Specific PCB Analysis

## PCB Congener Mix for West Coast Fish Studies

**C-WCFS**

25 µg/mL each in Isooctane

1 x 1 mL

24 comps.

2,4',5-Trichlorobiphenyl	2,2',3,4,5,5'-Hexachlorobiphenyl
2',3,4-Trichlorobiphenyl	2,2',3,4',5'-Hexachlorobiphenyl
2,2',4,5-Tetrachlorobiphenyl	2,2',3,5,5',6-Hexachlorobiphenyl
2,3,3',4'-Tetrachlorobiphenyl	2,3,3',4,4'-5-Hexachlorobiphenyl
2,3,4,4'-Tetrachlorobiphenyl	2,3,3',4,4',6-Hexachlorobiphenyl
2,3',4',5-Tetrachlorobiphenyl	2,2',3,3',4,5,6'-Heptachlorobiphenyl
2,2',3,4,5-Pentachlorobiphenyl	2,2',3,3',4,5,6'-Heptachlorobiphenyl
2,2',3,5,6-Pentachlorobiphenyl	2,2',3,3',4,4',5,5'-Octachlorobiphenyl
2,2',3,4,5-Pentachlorobiphenyl	2,2',3,3',4,5,5'-Octachlorobiphenyl
2,2',4,4',5-Pentachlorobiphenyl	2,2',3,4,4',5,5'-Octachlorobiphenyl
2,3,3',4',6-Pentachlorobiphenyl	2,2',3,4,4',5,6'-Heptachlorobiphenyl
2,2',3,3',4,6-Hexachlorobiphenyl	2,4,4'-Tetrachlorobiphenyl

## World Health Organization Congener Mix

**C-WHO-01**

2.0 µg/mL each in Isooctane

1 x 1 mL

12 comps.

3,3',4,4'-Tetrachlorobiphenyl	2,3',4,4',5-Pentachlorobiphenyl	2,3,3',4,4',5'-Hexachlorobiphenyl
3,4,4',5-Tetrachlorobiphenyl	2',3,4,4',5-Pentachlorobiphenyl	2,3',4,4',5,5'-Hexachlorobiphenyl
2,3,3',4,4'-Pentachlorobiphenyl	3,3',4,4',5-Pentachlorobiphenyl	3,3',4,4',5,5'-Hexachlorobiphenyl
2,3,4,4',5-Pentachlorobiphenyl	2,3,3',4,4',5-Hexachlorobiphenyl	2,3,3',4,4',5,5'-Heptachlorobiphenyl

## DCMA-PCB Isomer Mixture

**M-002**

**M-002-PAK**

At stated conc. in Hexane

SAVE

1 x 1 mL

5 x 1 mL

10 comps.

2-Chlorobiphenyl	(100 µg/mL)	2,2',3,3',6,6'-Hexachlorobiphenyl	(10 µg/mL)
3,3'-Dichlorobiphenyl	(100 µg/mL)	2,2',3,4,5,5'-Heptachlorobiphenyl	(5 µg/mL)
2,4,5-Trichlorobiphenyl	(10 µg/mL)	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	(5 µg/mL)
2,2',4,4'-Tetrachlorobiphenyl	(10 µg/mL)	2,2',3,3',4,4',5,5',6'-Nonachlorobiphenyl	(5 µg/mL)
2,3,4,5',6-Pentachlorobiphenyl	(10 µg/mL)	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	(5 µg/mL)

### Technical Note

The Dry Color Manufacturers Association (DCMA) recommends that its members use this type of mixture to monitor their process streams for PCBs. The DCMA-PCB congener method is made from pure PCB congeners in Hexane.

## CEN's Workgroup #22 for PCBs in Waste Oil

**PCB-W22**

10 µg/mL each in Isooctane

SAVE

1 x 1 mL

15 comps.

5 x 1 mL

**PCB-W22-SET**

100 µg/mL in Isooctane

15 x 1 mL

(Set of Individual Solutions)

### Technical Note

The Comite' Europeen de Normalisation (CEN) has assigned Workgroup Number 22 in Hamburg, Germany to develop a method for "PCBs" in waste oil.

## Dioxin-Like Congeners

**C-DIOXLIK**

No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
(18) 2,2',5-Trichlorobiphenyl	(52) 2,2',5,5'-Tetrachlorobiphenyl	(149) 2,2',3,4',5,6-Hexachlorobiphenyl										
(20) 2,3,3'-Trichlorobiphenyl	(101) 2,2',4,5,5'-Pentachlorobiphenyl	(153) 2,2',4,4',5,5'-Hexachlorobiphenyl										
(28) 2,4,4'-Trichlorobiphenyl	(105) 2,3,3',4,4'-Pentachlorobiphenyl	(170) 2,2',3,3',4,4',5,5'-Heptachlorobiphenyl										
(31) 2,4',5-Trichlorobiphenyl	(118) 2,3,4,4',5-Pentachlorobiphenyl	(180) 2,2',3,4,4',5,5'-Heptachlorobiphenyl										
(44) 2,2',3,5-Tetrachlorobiphenyl	(138) 2,2',3,3,4,4',5-Hexachlorobiphenyl	(194) 2,2',3,3',4,4',5,5'-Octachlorobiphenyl										

**C-DIOXLIK1-SET**

5 x 1 mL

Set includes

**C-DIOXLIK-02**  
**C-DIOXLIK-04**  
**C-DIOXLIK-06**

**C-DIOXLIK2-SET**

Set includes

**C-DIOXLIK-08**  
**C-DIOXLIK-10**  
**C-DIOXLIK-07**

5 x 1 mL

Set includes

**C-DIOXLIK-09**  
**C-DIOXLIK-11**

**C-DIOXLIK3-SET**

Set includes

**C-DIOXLIK-04**  
**C-DIOXLIK-06**  
**C-DIOXLIK-08**

5 x 1 mL

Set includes

**C-DIOXLIK-10**  
**C-DIOXLIK-12**  
**C-DIOXLIK-08**

Individual Levels 4, 6, 8, 10 12

**C-DIOXLIK3-04**  
**C-DIOXLIK3-06**  
**C-DIOXLIK3-08**  
**C-DIOXLIK3-10**  
**C-DIOXLIK3-12**

1 mL

1 mL

1 mL

1 mL

1 mL

# PCB Congener Calibration Mixtures

9 Mixtures Contain All 209 Congeners Present in Aroclors

## PCB Congener Mix #1

**C-CS-01**  
10 µg/mL each in Isooctane

1 x 1 mL  
39 comps.

No.	
1	2-Chlorobiphenyl
2	3-Chlorobiphenyl †
3	4-Chlorobiphenyl
4	2,2'-Dichlorobiphenyl
6	2,3'-Dichlorobiphenyl
8	2,4'-Dichlorobiphenyl
9	2,5-Dichlorobiphenyl
16	2,2',3-Trichlorobiphenyl
18	2,2',5-Trichlorobiphenyl
19	2,2',6-Trichlorobiphenyl
22	2,3,4'-Trichlorobiphenyl
25	2,3',4-Trichlorobiphenyl
28	2,4,4'-Trichlorobiphenyl
44	2,2',3,5'-Tetrachlorobiphenyl
52	2,2',5,5'-Tetrachlorobiphenyl
56	2,3,3',4'-Tetrachlorobiphenyl
66	2,3',4,4'-Tetrachlorobiphenyl
67	2,3',4,5-Tetrachlorobiphenyl
71	2,3',4,6-Tetrachlorobiphenyl
74	2,4,4',5-Tetrachlorobiphenyl
82	2,2',3,3',4-Pentachlorobiphenyl
87	2,2',3,4,5-Pentachlorobiphenyl
99	2,2',4,4',5-Pentachlorobiphenyl
110	2,3,3',4,6-Pentachlorobiphenyl
138	2,2',3,4,4',5-Hexachlorobiphenyl
146	2,2',3,4',5,5'-Hexachlorobiphenyl
147	2,2',3,4,5,6-Hexachlorobiphenyl †
153	2,2',4,4',5,5'-Hexachlorobiphenyl
173	2,2',3,3',4,5,6-Heptachlorobiphenyl
174	2,2',3,3',4,5,6'-Heptachlorobiphenyl
177	2,2',3,3',4,5,6-Heptachlorobiphenyl
179	2,2',3,3',5,6,6-Heptachlorobiphenyl
180	2,2',3,4,4',5,5'-Heptachlorobiphenyl
187	2,2',3,4',5,5',6-Heptachlorobiphenyl
194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl
195	2,2',3,3',4,4',5,6-Octachlorobiphenyl
199	2,2',3,3',4,5,5',6-Octachlorobiphenyl
203	2,2',3,4,4',5,5',6-Octachlorobiphenyl
206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl

## PCB Congener Mix #2

**C-CS-02**  
10 µg/mL each in Isooctane

No.	
5	2,3-Dichlorobiphenyl
7	2,4-Dichlorobiphenyl
10	2,6-Dichlorobiphenyl
17	<b>2,2',4-Trichlorobiphenyl</b>
24	2,3,6-Trichlorobiphenyl
26	2,3',5-Trichlorobiphenyl
31	2,4',5-Trichlorobiphenyl
32	2,4',6-Trichlorobiphenyl
37	3,4,4'-Trichlorobiphenyl
41	2,2',3,4-Tetrachlorobiphenyl
45	2,2',3,6-Tetrachlorobiphenyl
46	2,2',3,6'-Tetrachlorobiphenyl
48	2,2',4,5-Tetrachlorobiphenyl
60	2,3,4,4'-Tetrachlorobiphenyl
70	2,3',4',5-Tetrachlorobiphenyl
83	2,2',3,3',5-Pentachlorobiphenyl
84	2,2',3,3',6-Pentachlorobiphenyl
95	2,2',3,5',6-Pentachlorobiphenyl
103	2,2',4,5,6-Pentachlorobiphenyl †
107	2,3,3',4',5-Pentachlorobiphenyl
115	2,3,4,4',6-Pentachlorobiphenyl
131	2,2',3,3',4,6-Hexachlorobiphenyl
132	2,2',3,3',4,6'-Hexachlorobiphenyl
135	2,2',3,3',5,6'-Hexachlorobiphenyl
141	2,2',3,4,5,5'-Hexachlorobiphenyl
149	2,2',3,4',5,6-Hexachlorobiphenyl
164	2,3,3',4',5,6-Hexachlorobiphenyl
170	2,2',3,3',4,4',5-Heptachlorobiphenyl
171	2,2',3,3',4,4',6-Heptachlorobiphenyl
172	2,2',3,3',4,5,5'-Heptachlorobiphenyl
178	2,2',3,3',5,5',6-Heptachlorobiphenyl
183	2,2',3,4,4',5,6-Heptachlorobiphenyl
193	2,3,3',4',5,5',6-Heptachlorobiphenyl
196	2,2',3,3',4,4',5,6-Octachlorobiphenyl
197	2,2',3,3',4,4',6,6'-Octachlorobiphenyl
205	2,3,3',4,4',5,5',6-Octachlorobiphenyl

## PCB Congener Mix #3

**C-CS-03**  
10 µg/mL each in Isooctane

No.	
15	<b>4,4'-Dichlorobiphenyl</b>
20	2,3,3'-Trichlorobiphenyl
27	2,3',6-Trichlorobiphenyl
29	2,4,5-Trichlorobiphenyl
34	2',3,5-Trichlorobiphenyl
40	2,2',3,3'-Tetrachlorobiphenyl
42	2,2',3,4'-Tetrachlorobiphenyl
47	2,2',4,4'-Tetrachlorobiphenyl
69	2,3',4,6-Tetrachlorobiphenyl †
92	2,2',3,5,5'-Pentachlorobiphenyl
93	2,2',3,5,6-Pentachlorobiphenyl †
101	2,2',4,5,5'-Pentachlorobiphenyl
105	2,3,3',4,4'-Pentachlorobiphenyl
118	2,3',4,4',5-Pentachlorobiphenyl
119	2,3',4,4',6-Pentachlorobiphenyl
128	2,2',3,3',4,4'-Hexachlorobiphenyl
134	2,2',3,3',5,6-Hexachlorobiphenyl
136	2,2',3,3',6,6'-Hexachlorobiphenyl
144	2,2',3,4,5,6-Hexachlorobiphenyl
151	2,2',3,5,5',6-Hexachlorobiphenyl
157	2,3,3',4,4',5-Hexachlorobiphenyl
158	2,3,3',4,4',6-Hexachlorobiphenyl
190	2,3,3',4,4',5,6-Heptachlorobiphenyl
191	2,3,3',4,4',5,6-Heptachlorobiphenyl
207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl †
208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl †

## PCB Congener Mix #5

**C-CS-05**  
10 µg/mL each in Isooctane

1 x 1 mL  
20 comps.

No.	
12	3,4-Dichlorobiphenyl
33	<b>2',3,4-Trichlorobiphenyl</b>
49	2,2',4,5'-Tetrachlorobiphenyl
59	2,3,3',6-Tetrachlorobiphenyl
63	2,3,4',5-Tetrachlorobiphenyl
64	<b>2,3,4',6-Tetrachlorobiphenyl</b>
77	3,3',4,4'-Tetrachlorobiphenyl
85	<b>2,2',3,4,4'-Pentachlorobiphenyl</b>
91	2,2',3,4',6-Pentachlorobiphenyl
97	<b>2,2',3,4,5-Pentachlorobiphenyl</b>
104	2,2',4,6,6'-Pentachlorobiphenyl †
114	2,3,4,4',5-Pentachlorobiphenyl
123	2',3,4,4',5-Pentachlorobiphenyl
129	2,2',3,3',4,5-Hexachlorobiphenyl
137	2,2',3,4,4',5-Hexachlorobiphenyl
156	<b>2,3,3',4,4',5-Hexachlorobiphenyl</b>
167	2,3',4,4',5,5'-Hexachlorobiphenyl
176	2,2',3,3',4,4',6,6'-Heptachlorobiphenyl
185	2,2',3,4,4',5,5'-Heptachlorobiphenyl
189	2,3,3',4,4',5,5'-Heptachlorobiphenyl

## Reference Key

non-Bold = Congener in any of Aroclors 1242, 1254 or 1260 @ < 1.0 Wt.%  
**Bold** = Congener in any of Aroclors 1242, 1254 or 1260 @ > 1.0 Wt.%  
 † = Congener not in any of the 3 Aroclors @ > 0.05 Wt.%

Bold congeners related to mixes #6, 7 & 8 marginally above 0.05 Wt.%, except #43 @ 0.24 Wt.% in Aroclor 1242.

Some "non-Aroclor" congeners assigned to Mixes 1-5 to reduce coelutions and number of mixes needed.

# PCB Congener Calibration Mixtures

9 Mixtures Contain All 209 Congeners Not Present in Aroclors

## PCB Congener Mix #6

C-CS-06

10 µg/mL each in Isooctane

1 x 1 mL  
18 comps.

No.	
11	3,3'-Dichlorobiphenyl †
21	2,3,4-Trichlorobiphenyl †
38	3,4,5-Trichlorobiphenyl †
50	2,2',4,6-Tetrachlorobiphenyl †
57	2,3,3',5-Tetrachlorobiphenyl †
61	2,3,4,5-Tetrachlorobiphenyl †
65	2,3,5,6-Tetrachlorobiphenyl †
86	2,2',3,4,5-Pentachlorobiphenyl †
102	2,2',4,5,6-Pentachlorobiphenyl †
113	2,3,3',5',6-Pentachlorobiphenyl †
126	3,3',4,4',5-Pentachlorobiphenyl †
127	3,3',4,5,5'-Pentachlorobiphenyl †
133	2,2',3,3',5,5'-Hexachlorobiphenyl †
139	2,2',3,4,4',6-Hexachlorobiphenyl †
145	2,2',3,4,6,6'-Hexachlorobiphenyl †
161	2,3,3',4,5,6-Hexachlorobiphenyl †
169	3,3',4,4',5,5'-Hexachlorobiphenyl †
181	2,2',3,4,4',5,6-Heptachlorobiphenyl

## PCB Congener Mix #7

C-CS-07

10 µg/mL each in Isooctane

No.	
36	3,3',5-Trichlorobiphenyl †
72	2,3',5,5'-Tetrachlorobiphenyl †
78	3,3',4,5-Tetrachlorobiphenyl †
79	3,3',4,5'-Tetrachlorobiphenyl †
89	2,2',3,4,6'-Pentachlorobiphenyl †
96	2,2',3,6,6'-Pentachlorobiphenyl †
98	2,2',3,4,6-Pentachlorobiphenyl †
106	2,3,3',4,5-Pentachlorobiphenyl †
108	2,3,3',4,5'-Pentachlorobiphenyl †
152	2,2',3,5,6,6'-Hexachlorobiphenyl †
166	2,3,4,4',5,6-Hexachlorobiphenyl †
182	2,2',3,4,4',5,6'-Heptachlorobiphenyl †
184	2,2',3,4,4',6,6'-Heptachlorobiphenyl †
204	2,2',3,4,4',5,6,6'-Octachlorobiphenyl †

## PCB Congener Mix #8

C-CS-08

10 µg/mL each in Isooctane

1 x 1 mL	
12 comps.	
No.	
30	2,4,6-Trichlorobiphenyl †
43	2,2',3,5-Tetrachlorobiphenyl †
55	2,3,3',4-Tetrachlorobiphenyl †
58	2,3,3',5-Tetrachlorobiphenyl †
76	2,3,4,5-Tetrachlorobiphenyl †
109	2,3,3',4,6-Pentachlorobiphenyl †
112	2,3,3',5,6-Pentachlorobiphenyl †
120	2,3',4,5,5'-Pentachlorobiphenyl †
159	2,3,3',4,5,5'-Hexachlorobiphenyl †
186	2,2',3,4,5,6,6'-Heptachlorobiphenyl †
192	2,3,3',4,5,5',6-Heptachlorobiphenyl †
198	2,2',3,3',4,5,5',6-Octachlorobiphenyl †

## PCB Congener Mix #9

C-CS-09

10 µg/mL each in Isooctane

1 x 1 mL  
21 comps.

No.	
23	2,3,5-Trichlorobiphenyl †
39	3,4',5-Trichlorobiphenyl †
62	2,3,4,6-Tetrachlorobiphenyl †
68	2,3',4,5'-Tetrachlorobiphenyl †
80	3,3',5,5'-Tetrachlorobiphenyl †
88	2,2',3,4,6-Pentachlorobiphenyl †
94	2,2',3,5,6'-Pentachlorobiphenyl †
111	2,3,3',5,5'-Pentachlorobiphenyl †
116	2,3,4,5,6-Pentachlorobiphenyl †
121	2,3',4,5',6-Pentachlorobiphenyl †
125	2,3,4,5,6'-Pentachlorobiphenyl †
140	2,2',3,4,4',6-Hexachlorobiphenyl †
142	2,2',3,4,5,6-Hexachlorobiphenyl †
143	2,2',3,4,5,6'-Hexachlorobiphenyl †
148	2,2',3,4,5,6'-Hexachlorobiphenyl †
150	2,2',3,4,6,6'-Hexachlorobiphenyl †
155	2,2',4,4',6,6'-Hexachlorobiphenyl †
160	2,3,3',4,5,6-Hexachlorobiphenyl †
162	2,3,3',4,5,5'-Hexachlorobiphenyl †
168	2,3',4,4',5,6-Hexachlorobiphenyl †
188	2,2',3,4,5,6,6'-Heptachlorobiphenyl †

## Congener Calibration Solution Sets

Mixes containing all 209 PCB congener

C-CSQ-SET

9 x 1 mL

1 mL each of:

C-CS-01	C-CS-04	C-CS-07
C-CS-02	C-CS-05	C-CS-08
C-CS-03	C-CS-06	C-CS-09

Mixes for congeners found in Aroclor® 1242, 1254 and 1260

C-CSA-SET

5 x 1 mL

1 mL each of:

C-CS-01	C-CS-04
C-CS-02	C-CS-05
C-CS-03	

Mixes for non-Aroclor congeners

C-CSN-SET

4 x 1 mL

1 mL each of:

C-CS-06	C-CS-08
C-CS-07	C-CS-09

## Reference Key

non-Bold = Congener in any of Aroclors 1242, 1254 or 1260 @ < 1.0 Wt.%

**Bold** = Congener in any of Aroclors 1242, 1254 or 1260 @ > 1.0 Wt.%

† = Congener not in any of the 3 Aroclors @ > 0.05 Wt.%

Bold congeners related to mixes #6, 7 & 8 marginally above 0.05 Wt.%, except #43 @ 0.24 Wt.% in Aroclor 1242.

Some "non-Aroclor" congeners assigned to Mixes 1-5 to reduce coelutions and number of mixes needed.

# Method 680 - PCB Congener Calibration Mixtures

## Method 680 PCB Analytes

### Internal Standards

M-680-IS	1 x 1 mL
M-680-IS-PAK	5 x 1 mL
75 µg/mL each in Hexane	2 comps.
M-680-IS-10X	1 x 1 mL
M-680-IS-10X-PAK	5 x 1 mL
750 µg/mL each in Hexane	2 comps.
Chrysene-d <sub>12</sub>	
Phenanthrene-d <sub>10</sub>	

### PCB Locator Mixture

M-PCBL	1 x 1 mL
M-PCBL-PAK	5 x 1 mL
At stated conc. in Isooctane	5 comps.
Aroclor 1242	(0.5 µg/mL)
Aroclor 1260	(0.5 µg/mL)
2-Chlorobiphenyl	(0.1 µg/mL)
3-Chlorobiphenyl	(0.1 µg/mL)
Decachlorobiphenyl	(0.1 µg/mL)

### Retention Time Calibration Standard

M-680-RT	1 x 1 mL
M-680-RT-PAK	5 x 1 mL
100 µg/mL each in Hexane	3 comps.
3,3',4,4'-Tetrachlorobiphenyl	
2,2',4,6,6'-Pentachlorobiphenyl	
2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	

### Tuning Standard

M-680-TS	1 x 1 mL
M-680-TS-PAK	5 x 1 mL
10 µg/mL in CH <sub>2</sub> Cl <sub>2</sub>	

Decafluorotriphenylphosphine (DFTPP)

The EPA has designated the following isomers for use in quantifying PCB's by GC/MS. The PCBs are identified and measured as isomer groups (i.e., by level of chlorination). A concentration is measured for each PCB isomer group; total PCB concentration in each sample extract is obtained by summing isomer group concentrations.

Level of Chlorination	Isomer Selected	Congener Number	RF Value vs. Chrysene-d <sub>12</sub>	Mean RF Value vs. Chrysene-d <sub>12</sub>
1	2-mono	1	0.899	0.925
2	2,3-di	5	0.651	0.642
3	2,4,5-tri	29	0.411	0.411
4	2,2',4,6-tetra	50	0.305	0.431
5	2,2',3,4,5'-penta	87	0.299	0.287
6	2,2',4,4',5,6'-hexa	154	0.254	0.254
7	2,2',3,4,5,6,6'-hepta	188	0.164	0.160
8	2,2',3,3',4,5,6,6'-octa	201	0.207	0.191
9,10	2,2',3,3',4,4',5,5',6,6'-deca	209	0.144	0.150

## PCB Isomer Calibration Set

M-680-SET	2 x 1 mL
Includes: M-680A (Calibration Mix), M-680B (Internal Standard)	

### PCB Isomer Calibration Mix

M-680A	1 x 1 mL	
At stated conc. in Hexane	9 comps.	
No.		
1	2-Chlorobiphenyl	(50 µg/mL)
5	2,3-Dichlorobiphenyl	(50 µg/mL)
29	2,4,5-Trichlorobiphenyl	(50 µg/mL)
50	2,2',4,6-Tetrachlorobiphenyl	(100 µg/mL)
87	2,2',3,4,5'-Pentachlorobiphenyl	(100 µg/mL)
154	2,2',4,4',5,6'-Hexachlorobiphenyl	(100 µg/mL)
188	2,2',3,4',5,6,6'-Heptachlorobiphenyl	(150 µg/mL)
201	2,2',3,3',4,5',6,6'-Octachlorobiphenyl	(150 µg/mL)
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	(250 µg/mL)

### Internal Standard

M-680B	1 x 1 mL
250 µg/mL in Toluene	

Chrysene-d<sub>12</sub>

See Master Catalog for complete Method 680,  
which include Pesticide Mixtures.



# Instrument Test Solution

## Instrument Test Solutions

### PCB Window Defining Mixture

<b>C-WDM</b>	<b>1 x 1 mL</b>
<b>C-WDM-PAK</b>	<b>5 x 1 mL</b>
2.5 µg/mL each in Isooctane	

No.	
0	Biphenyl
1	2-Chlorobiphenyl
3	4-Chlorobiphenyl
10	2,6-Dichlorobiphenyl
15	4,4'-Dichlorobiphenyl
19	2,2',6-Trichlorobiphenyl
37	3,4,4'-Trichlorobiphenyl
54	2,2',6,6'-Tetrachlorobiphenyl
77	3,3',4,4'-Tetrachlorobiphenyl
104	2,2',4,6,6'-Pentachlorobiphenyl
126	3,3',4,4',5-Pentachlorobiphenyl
155	2,2',4,4',6,6'-Hexachlorobiphenyl
169	3,3',4,4',5,5'-Hexachlorobiphenyl
188	2,2',3,4',5,6,6'-Heptachlorobiphenyl
189	2,3,3',4,4',5,5'-Heptachlorobiphenyl
202	2,2',3,3',5,5',6,6'-Octachlorobiphenyl
205	2,3,3',4,4',5,5',6-Octachlorobiphenyl
208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl
206	2,2',3,3',4,4',5,5',6-Octachlorobiphenyl
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl

### PCB Calibration Check Solution

<b>C-CCSEC</b>	<b>1 x 1 mL</b>
<b>C-CCSEC-PAK</b>	<b>5 x 1 mL</b>
100 µg/mL each in Acetone	
<b>C-CCSEC-R-PAK</b>	<b>1 x 1 mL</b>
<b>C-CCSEC-R-PAK</b>	<b>5 x 1 mL</b>
C-CCSEC plus 2,2',3,3',4,5',6,6'-Octachlorobiphenyl	
<b>Special Blend</b>	<b>21 comps.</b>
No.	
8	2,4'-Dichlorobiphenyl
18	2,2',5-Trichlorobiphenyl
28	2,4,4'-Trichlorobiphenyl
44	2,2',3,5-Tetrachlorobiphenyl
52	2,2',5,5'-Tetrachlorobiphenyl
66	2,3',4,4'-Tetrachlorobiphenyl
77	3,3',4,4'-Tetrachlorobiphenyl
101	2,2',4,5,5'-Pentachlorobiphenyl
105	2,3,3',4,4'-Pentachlorobiphenyl
118	2,3',4,4',5-Pentachlorobiphenyl
126	3,3',4,4',5-Pentachlorobiphenyl
128	2,2',3,3',4,4'-Hexachlorobiphenyl
138	2,2',3,4,4',5-Hexachlorobiphenyl
153	2,2',4,4',5,5'-Hexachlorobiphenyl
170	2,2',3,3',4,4',5-Heptachlorobiphenyl
180	2,2',3,4,4',5,5'-Heptachlorobiphenyl
187	2,2',3,4',5,5',6-Heptachlorobiphenyl
195	2,2',3,3',4,4',5,6-Octachlorobiphenyl
206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl

### PCB/Selective Ion Monitoring Solution

<b>PCB-SIM</b>	<b>1 x 1 mL</b>
<b>PCB-SIM-PAK</b>	<b>5 x 1 mL</b>
At stated conc. in Hexane	
<b>No.</b>	
1	2-Chlorobiphenyl (10 µg/mL)
5	2,3-Dichlorobiphenyl (10 µg/mL)
29	2,4,5-Trichlorobiphenyl (10 µg/mL)
104	2,2',4,6,6'-Pentachlorobiphenyl (20 µg/mL)
87	2,2',3,4,5,5'-Pentachlorobiphenyl (20 µg/mL)
208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (40 µg/mL)
50	2,2',4,6-Tetrachlorobiphenyl (20 µg/mL)
209	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl (50 µg/mL)
77	3,3',4,4'-Tetrachlorobiphenyl (20 µg/mL)
200	2,2',3,3',4,5,5',6,6'-Octachlorobiphenyl (30 µg/mL)
186	2,2',3,3',4,4',5,6,6'-Heptachlorobiphenyl (30 µg/mL)
154	2,2',4,4',5,6-Hexachlorobiphenyl (20 µg/mL)

### Technical Note

For use with Phenyl methyl silicone type columns.



# Aroclors

## (Industrial PCBs)

### Aroclors

#### Aroclor Solutions in Isooctane and Methanol, 2 Concentrations (Individuals, PAKs, Sets)

Aroclor #	Isooctane 35 µg/mL 1 mL	SAVE 5 x 1 mL	Isooctane 100 µg/mL 1 mL	Methanol 35 µg/mL 1 mL	SAVE 5 x 1 mL	Methanol 100 µg/mL 1 mL
Aroclor 1016	C-216S	C-216S-PAK	C-216S-TP	C-216S-M	C-216S-M-PAK	C-216S-M-2.85X
Aroclor 1221	C-221S	C-221S-PAK	C-221S-TP	C-221S-M	C-221S-M-PAK	C-221S-M-2.85X
Aroclor 1232	C-232S	C-232S-PAK	C-232S-TP	C-232S-M	C-232S-M-PAK	C-232S-M-2.85X
Aroclor 1242	C-242S	C-242S-PAK	C-242S-TP	C-242S-M	C-242S-M-PAK	C-242S-M-2.85X
Aroclor 1248	C-248S	C-248S-PAK	C-248S-TP	C-248S-M	C-248S-M-PAK	C-248S-M-2.85X
Aroclor 1254	C-254S	C-254S-PAK	C-254S-TP	C-254S-M	C-254S-M-PAK	C-254S-M-2.85X
Aroclor 1260	C-260S	C-260S-PAK	C-260S-TP	C-260S-M	C-260S-M-PAK	C-260S-M-2.85X
Aroclor 1262	C-262S	C-262S-PAK	C-262S-TP	C-262S-M	C-262S-M-PAK	C-262S-M-2.85X
Aroclor 1268	C-268S	C-268S-PAK	C-268S-TP	C-268S-M	C-268S-M-PAK	C-268S-M-2.85X
Set of above	Z-008S-SET	9 x 1 mL		Z-008S-M-SET	9 x 1 mL	

#### Aroclor Solutions in Hexane, 2 Concentrations (Individuals, PAKs, Sets)

Aroclor #	Hexane 100 µg/mL 1 mL	Hexane 1000 µg/mL 1 mL	SAVE 5 x 1 mL
Aroclor 1016	C-216S-H	C-216S-H-10X	C-216S-H-10X-PAK
Aroclor 1221	C-221S-H	C-221S-H-10X	C-221S-H-10X-PAK
Aroclor 1232	C-232S-H	C-232S-H-10X	C-232S-H-10X-PAK
Aroclor 1242	C-242S-H	C-242S-H-10X	C-242S-H-10X-PAK
Aroclor 1248	C-248S-H	C-248S-H-10X	C-248S-H-10X-PAK
Aroclor 1254	C-254S-H	C-254S-H-10X	C-254S-H-10X-PAK
Aroclor 1260	C-260S-H	C-260S-H-10X	C-260S-H-10X-PAK
Aroclor 1262	C-262S-H	C-262S-H-10X	C-262S-H-10X-PAK
Aroclor 1268	C-268S-H	C-268S-H-10X	C-268S-H-10X-PAK
Set of 9 above	Z-008S-H-SET	Z-008S-H-10X-SET	

#### Solutions in PCB-Free Transformer Oil (Individuals, 2 Concentrations)

Aroclor #	Conc. CAS No.	Individual ppm w/w	PAK	SAVE	
		Cat. No.	1 mL	Cat. No.	5 x 1 mL
Aroclor 1016		50	C-216-ST-1	C-216-ST-1-PAK	
12674-11-2		500	C-216-ST-2	C-216-ST-2-PAK	
Aroclor 1221		50	C-221-ST-1	C-221-ST-1-PAK	
11104-28-2		500	C-221-ST-2	C-221-ST-2-PAK	
Aroclor 1232		50	C-232-ST-1	C-232-ST-1-PAK	
11141-16-5		500	C-232-ST-2	C-232-ST-2-PAK	
Aroclor 1242		50	C-242-ST-1	C-242-ST-1-PAK	
53469-21-9		500	C-242-ST-2	C-242-ST-2-PAK	
Aroclor 1248		50	C-248-ST-1	C-248-ST-1-PAK	
12672-29-6		500	C-248-ST-2	C-248-ST-2-PAK	
Aroclor 1254		50	C-254-ST-1	C-254-ST-1-PAK	
11097-69-1		500	C-254-ST-2	C-254-ST-2-PAK	
Aroclor 1260		50	C-260-ST-1	C-260-ST-1-PAK	
11096-82-5		500	C-260-ST-2	C-260-ST-2-PAK	
Aroclor 1262		50	C-262-ST-1	C-262-ST-1-PAK	
37324-23-5		500	C-262-ST-2	C-262-ST-2-PAK	
Aroclor 1268		50	C-268-ST-1	C-268-ST-1-PAK	
11100-14-4		500	C-268-ST-2	C-268-ST-2-PAK	

#### Aroclor Neats (Individuals)

Aroclor #	Neat	Unit
Aroclor 1016	C-216N	100 mg
Aroclor 1221	C-221N-50MG	50 mg
Aroclor 1232	-----	-----
Aroclor 1242	C-242N-50MG	50 mg
Aroclor 1248	C-248N-50MG	50 mg
Aroclor 1254	C-254N-50MG	50 mg
Aroclor 1260	C-260N-50MG	50 mg
Aroclor 1262	C-262N-50MG	50 mg
Aroclor 1268	-----	-----

#### Aroclor-free Transformer Oil T-W130

1 x 1 mL

#### Aroclors 1221 & 1254 Similar but Different

##### Reference Standards of Aroclor Mixtures (for GC analysis)

Technical mixtures of PCBs (Aroclors) were manufactured by Monsanto from the 1930s through 1977. In some instances there was an alteration in the manufacturing process which resulted in a more radical components change than the usual variations. This was the case for a particular batch of Aroclor 1254 (54% Chlorine by weight) that was chlorinated in two stages rather than the usual one. The product of the two stage manufacturing process was a material containing higher concentrations of the more toxic non-ortho substituted congeners. Consequently, the analyst may have to identify and quantify two distinct types of Aroclor 1254. For different reasons there also exist two distinct types of Aroclor 1221. To eliminate any confusion when encountering these Aroclors, AccuStandard offers (as an exclusive) all four variations.

C-221S-TYPE1\* and C-221S-TYPE2\*      C-221S-SET      2 x 1 mL  
 C-254S-TYPE1\* and C-254S-TYPE2\*      C-254S-SET      2 x 1 mL

Solutions in these sets are 35 µg/mL in Isooctane

All Standards cited in this monograph are bonafide and unadulterated Monsanto products.

#### Technical Note

##### Major Isomer Components of Aroclor 1254

Aroclor® 1254 was the most commonly used of the industrial PCB fluids. This list contains congeners which constitute the majority of the components in this material. They are offered in both neat form and solution. Solutions are in 35 µg/mL in isoctane.

##### For 1254 only the following congeners may be found at > 0.5% by weight by Congener Number:

#'s 44,49, 52, 56, 64, 66, 70, 74, 82, 84, 85, 87, 91, 92, 95, 97, 99, 101, 105, 110, 118, 128, 130, 132, 135, 136, 138, 141, 146, 149, 151, 153, 156, 158, 163, 170, 180.


- The coplanar polychlorinated biphenyl (PCB) congeners; 3,3',4,4'-Tetrachlorobiphenyl (# 77), 3,3',4,4',5-Pentachlorobiphenyl (# 126), and 3,3',4,4',5,5'-Hexachlorobiphenyl (# 169) are recognized as the most toxic components of Aroclors.
- The major problem in isolation of these PCB congeners is the separation of 2,3,3',4',6-Pentachlorobiphenyl (# 110) from 3,3',4,4'-Tetrachlorobiphenyl (# 77).
- A simple cleanup procedure using alumina is proposed for the fractionation of the Aroclors on alumina which allows the isolation and analysis of the coplanar PCB congeners (1).
- The proposed internal standard 3,3',4,4'-Tetrabromobiphenyl (B-077S) enhances the accuracy of the procedure.

##### 3,3',4,4'-Tetrabromobiphenyl is used as an Internal Standard to identify and quantify the coplanar components of Aroclors <sup>(1)</sup>.

(1) Analysis of coplanar PCB congeners in Aroclors using alumina column cleanup. Jerry W. Anderson, ManTech Environmental Technology, Inc., R.S. Kerr Environmental Research Laboratory, U.S. Environmental Protection Agency, P.O. Box 1198, Ada, OK 74820 - Pittsburgh Conference, March 1992, New Orleans

B-077S      1 x 1 mL  
 35 µg/mL in Isooctane  
 3,3',4,4'-Tetrabromobiphenyl

# PCB Metabolites



## Hydroxy-Chlorobiphenyls


Compound	CAS No.	NEAT Cat. No.	Unit	100 µg/mL in Isooctane Cat. No.	1 mL
2-Hydroxy-5-chlorobiphenyl	607-12-5	HPCB-1001N	5 mg	HPCB-1001S	
4-Hydroxy-2-chlorobiphenyl	23719-22-4	HPCB-1002N	5 mg	HPCB-1002S	
4-Hydroxy-3-chlorobiphenyl	92-04-6	HPCB-1003N	5 mg	HPCB-1003S	
4-Hydroxy-4'-chlorobiphenyl	28034-99-3	HPCB-1004N	10 mg	HPCB-1004S	
2-Hydroxy-2',5'-dichlorobiphenyl	53905-30-9	HPCB-2001N	10 mg	HPCB-2001S	
3-Hydroxy-2',5'-dichlorobiphenyl	53905-29-6	HPCB-2002N	10 mg	HPCB-2002S	
4-Hydroxy-2',5'-dichlorobiphenyl	53905-28-5	HPCB-2003N	10 mg	HPCB-2003S	
4-Hydroxy-3,5-dichlorobiphenyl	1137-59-3	HPCB-2004N	10 mg	HPCB-2004S	
2-Hydroxy-2',3'-dichlorobiphenyl		HPCB-2005N	10 mg	HPCB-2005S	
2-Hydroxy-3',4'-dichlorobiphenyl		HPCB-2006N	10 mg	HPCB-2006S	
2-Hydroxy-2',4',6'-trichlorobiphenyl		HPCB-3001N	10 mg	HPCB-3001S	
2-Hydroxy-2',5,5'-trichlorobiphenyl		HPCB-3002N	10 mg	HPCB-3002S	
3-Hydroxy-2',4',6'-trichlorobiphenyl		HPCB-3003N	10 mg	HPCB-3003S	
4-Hydroxy-2,2',5'-trichlorobiphenyl	53905-33-2	HPCB-3004N	5 mg	HPCB-3004S	
4-Hydroxy-2',3,5'-trichlorobiphenyl		HPCB-3005N	5 mg	HPCB-3005S	
4-Hydroxy-2',4',6'-trichlorobiphenyl	14962-28-8	HPCB-3006N	10 mg	HPCB-3006S	
2-Hydroxy-2',3',4',5'-tetrachlorobiphenyl		HPCB-4001N	10 mg	HPCB-4001S	
2-Hydroxy-2',3',5',6'-tetrachlorobiphenyl		HPCB-4002N	10 mg	HPCB-4002S	
2-Hydroxy-2',4',5,6'-tetrachlorobiphenyl		HPCB-4003N	10 mg	HPCB-4003S	
3-Hydroxy-2',3',4',5'-tetrachlorobiphenyl	67651-37-0	HPCB-4004N	10 mg	HPCB-4004S	
3-Hydroxy-2',3',5',6'-tetrachlorobiphenyl		HPCB-4005N	10 mg	HPCB-4005S	
4-Hydroxy-2,2',4',6'-tetrachlorobiphenyl	150304-08-8	HPCB-4006N	5 mg	HPCB-4006S	
4-Hydroxy-2',3',4',5'-tetrachlorobiphenyl	67651-34-7	HPCB-4007N	10 mg	HPCB-4007S	
4-Hydroxy-2',3',4',6'-tetrachlorobiphenyl		HPCB-4008N	5 mg	HPCB-4008S	
4-Hydroxy-2',3,5,5'-tetrachlorobiphenyl		HPCB-4009N	10 mg	HPCB-4009S	
4-Hydroxy-2',3',5',6'-tetrachlorobiphenyl	14962-32-4	HPCB-4010N	10 mg	HPCB-4010S	
4'-Hydroxy-3,3',4,5'-tetrachlorobiphenyl <b>NEW</b>		-----	-----	HPCB-4011S	
3-Hydroxy-2',2',6,6'-tetrachlorobiphenyl		-----	-----	HPCB-4012S	
2-Hydroxy-2',3,5,6'-tetrachlorobiphenyl <b>NEW</b>		-----	-----	HPCB-4013S	
5-Hydroxy-2,2',4,6'-tetrachlorobiphenyl		-----	-----	HPCB-4014S	
4,4'-Dihydroxy-2,2',6,6'-tetrachlorobiphenyl		-----	-----	HPCB-4015S	
4,6-Dihydroxy-2,2',4,6'-tetrachlorobiphenyl <b>NEW</b>		-----	-----	HPCB-4016S	
2-Hydroxy-2',3,4',5,5'-pentachlorobiphenyl	67651-36-9	HPCB-5001N	10 mg	HPCB-5001S	
2-Hydroxy-2',3',5,5',6'-pentachlorobiphenyl		HPCB-5002N	10 mg	HPCB-5002S	
4-Hydroxy-2,2',3',4',5'-pentachlorobiphenyl		HPCB-5003N	5 mg	HPCB-5003S	
4-Hydroxy-2,2',3',5',6'-pentachlorobiphenyl		HPCB-5004N	5 mg	HPCB-5004S	
4-Hydroxy-2',3,3',4',5'-pentachlorobiphenyl	67651-35-8	HPCB-5005N	5 mg	HPCB-5005S	
4-Hydroxy-2',3,3',5',6'-pentachlorobiphenyl		HPCB-5006N	5 mg	HPCB-5006S	
4-Hydroxy-2',3,4',5,6'-pentachlorobiphenyl		HPCB-5007N	10 mg	HPCB-5007S	
3-Hydroxy-2',4',5,5'-pentachlorobiphenyl	69278-58-6	-----	-----	HPCB-5008S	
4-Hydroxy-2,2',4',5,5'-pentachlorobiphenyl		-----	-----	HPCB-5009S	
2-Hydroxy-2',3,4',5,6'-pentachlorobiphenyl		-----	-----	HPCB-5010S	
4-Hydroxy-2',3,3',4',5,5'-hexachlorobiphenyl	158076-63-2	HPCB-6001N	10 mg	HPCB-6001S	
4-Hydroxy-2',3,3',5,5',6'-hexachlorobiphenyl <b>NEW</b>		HPCB-6002N	10 mg	HPCB-6002S	
5-Hydroxy-2,2',3,4,4',5'-hexachlorobiphenyl <b>NEW</b>		-----	-----	HPCB-6003S	
4'-Hydroxy-2,2',3,3',4,5,5'-heptachlorobiphenyl		-----	-----	HPCB-7001S	
3'-Hydroxy-2',2',3,4,4',5,5'-heptachlorobiphenyl <b>NEW</b>		-----	-----	HPCB-7002S	
3'-Hydroxy-2',2',3,4,4',5,5'-heptachlorobiphenyl		-----	-----	HPCB-7003S	
5-Hydroxy-2,2',3,4,4',5,6-heptachlorobiphenyl		-----	-----	HPCB-7004S	

## Metabolite and Degradation Reference Material Importance to the Environment

As environmental testing progresses, researchers realize that often the original compounds are not the ones found in the ecosystem. In real-world samples, metabolites and degradation products of well-known common chemical pollutants, such as PCBs and BDEs, are becoming much more prevalent. These compounds are found in soil, water and wildlife samples. This occurs as the parent compounds are leached out of waste and are exposed to rainwater, sunlight and other environmental factors. The original materials form new compounds, most often the methoxy or the hydroxy derivatives of the original molecule. Sometimes substitutions of the halogens occur and chlorinated moieties are found.

The problem with these newly found pollutants is that they are not commercial chemicals. This means that they are not readily available as reference materials. Not having a reference material makes the identification and quantification of these materials extremely difficult. In order to support the research into these degradates, AccuStandard has worked with many different researchers to synthesize the novel compounds that they require for their work. By having these materials available, scientists can learn more about the environmental fate and true impact of pollutants.

# PCB Metabolites



## Methoxy PCBs


Compound	100 µg/mL in Isooctane Cat. No.	1 mL	Compound	* in 50 µg/mL, 100 µg/mL in Isooctane Cat. No.	1 mL
2-Methoxy-5-chlorobiphenyl	<b>MOPCB-1001S</b>		2-Methoxy-2',3',4',5'-tetrachlorobiphenyl	<b>MOPCB-4001S</b>	
4-Methoxy-2-chlorobiphenyl	<b>MOPCB-1002S</b>		2-Methoxy-2',3',5',6'-tetrachlorobiphenyl	<b>MOPCB-4002S</b>	
4-Methoxy-3-chlorobiphenyl	<b>MOPCB-1003S</b>		2-Methoxy-2',4',5,6'-tetrachlorobiphenyl	<b>MOPCB-4003S</b>	
4-Methoxy-4'-chlorobiphenyl	<b>MOPCB-1004S</b>		3-Methoxy-2',3',4',5'-tetrachlorobiphenyl	<b>MOPCB-4004S</b>	
2-Methoxy-3-chlorobiphenyl <b>NEW</b>	<b>MOPCB-1005S</b>		3-Methoxy-2',3',5',6'-tetrachlorobiphenyl	<b>MOPCB-4005S</b>	
3-Methoxy-5-chlorobiphenyl <b>NEW</b>	<b>MOPCB-1006S</b>		4-Methoxy-2',3',4',5'-tetrachlorobiphenyl	<b>MOPCB-4007S</b>	
2-Methoxy-3-chlorobiphenyl <b>NEW</b>	<b>MOPCB-1007S</b>		4-Methoxy-2',3',4',6'-tetrachlorobiphenyl	<b>MOPCB-4008S</b>	
3-Methoxy-3'-chlorobiphenyl <b>NEW</b>	<b>MOPCB-1008S</b>		4-Methoxy-2',3',5,5'-tetrachlorobiphenyl	<b>MOPCB-4009S</b>	
4-Methoxy-3'-chlorobiphenyl <b>NEW</b>	<b>MOPCB-1009S</b>		4-Methoxy-2',3',5',6'-tetrachlorobiphenyl	<b>MOPCB-4010S</b>	
2-Methoxy-2',5-dichlorobiphenyl	<b>MOPCB-2001S</b>		3-Methoxy-2,2',6,6'-tetrachlorobiphenyl	<b>MOPCB-4012S-0.5X *</b>	
3-Methoxy-2',5'-dichlorobiphenyl	<b>MOPCB-2002S</b>		2-Methoxy-2',3',4',5,5'-pentachlorobiphenyl	<b>MOPCB-5001S</b>	
4-Methoxy-2',5'-dichlorobiphenyl	<b>MOPCB-2003S</b>		2-Methoxy-2',3',5,5',6'-pentachlorobiphenyl	<b>MOPCB-5002S</b>	
4-Methoxy-3,5-dichlorobiphenyl	<b>MOPCB-2004S</b>		4-Methoxy-2,2',3',4',5'-pentachlorobiphenyl	<b>MOPCB-5003S</b>	
2-Methoxy-2',3'-dichlorobiphenyl	<b>MOPCB-2005S</b>		4-Methoxy-2,2',3',5',6'-pentachlorobiphenyl	<b>MOPCB-5004S</b>	
2-Methoxy-3',4'-dichlorobiphenyl	<b>MOPCB-2006S</b>		4-methoxy-2',3',4',5,6'-pentachlorobiphenyl <b>NEW</b>	<b>MOPCP-5007S</b>	
2-Methoxy-2',4',6'-trichlorobiphenyl	<b>MOPCB-3001S</b>		4-Methoxy-2,2',4',5,5'-pentachlorobiphenyl	<b>MOPCB-5009S</b>	
2-Methoxy-2',5,5'-trichlorobiphenyl	<b>MOPCB-3002S</b>		2-Methoxy-2',3',4',5,6'-pentachlorobiphenyl	<b>MOPCB-5010S</b>	
3-Methoxy-2',4',6'-trichlorobiphenyl	<b>MOPCB-3003S</b>		4-Methoxy-2',3',4',5,5'-hexachlorobiphenyl	<b>MOPCB-6001S</b>	
4-Methoxy-2,2',5'-trichlorobiphenyl	<b>MOPCB-3004S</b>		5-Methoxy-2',2',3,4,4',5'-hexachlorobiphenyl	<b>MOPCB-6003S</b>	
4-Methoxy-2',3,5'-trichlorobiphenyl	<b>MOPCB-3005S</b>		4'-Methoxy-2,2',3,3',4,4',5'-heptachlorobiphenyl	<b>MOPCB-7001S-0.5X *</b>	
4-Methoxy-2',4',6'-trichlorobiphenyl	<b>MOPCB-3006S</b>		5-Methoxy-2,2',3,4,4',5',6-heptachlorobiphenyl	<b>MOPCB-7004S-0.5X *</b>	

## Methylsulfonyl PCB Congeners

Compound	CAS No.	50 µg/mL in Isooctane Cat. No.	1 mL
3-Methylsulfonyl-2,2',4',5-tetrachlorobiphenyl	116807-52-4	<b>MSCB-3049</b>	
3-Methylsulfonyl-2,2',5,5'-tetrachlorobiphenyl	60640-54-2	<b>MSCB-3052</b>	
3-Methylsulfonyl-2,3',4',5-tetrachlorobiphenyl	116807-53-5	<b>MSCB-3070</b>	
3-Methylsulfonyl-2,2',3',4',5-pentachlorobiphenyl	66640-58-2	<b>MSCB-3087</b>	
3-Methylsulfonyl-2,2',4',5,6-pentachlorobiphenyl	149949-86-0	<b>MSCB-3091</b>	
3-Methylsulfonyl-2,2',3',5,6'-pentachlorobiphenyl		<b>MSCB-3095</b>	
3-Methylsulfonyl-2,2',4',5,5'-pentachlorobiphenyl	66640-60-6	<b>MSCB-3101</b>	
3-Methylsulfonyl-2,3',4',5,6-pentachlorobiphenyl	116807-23-9	<b>MSCB-3110</b>	
3-Methylsulfonyl-2,2',3',4',5,6-hexachlorobiphenyl	149949-90-6	<b>MSCB-3132</b>	
3-Methylsulfonyl-2,2',3',4',5,5'-hexachlorobiphenyl	104086-18-2	<b>MSCB-3141</b>	
3-Methylsulfonyl-2,2',4',5,5',6-hexachlorobiphenyl	149949-88-2	<b>MSCB-3149</b>	
3-Methylsulfonyl-2,2',3',4',5,5',6-heptachlorobiphenyl		<b>MSCB-3174</b>	
4-Methylsulfonyl-2,2',4',5-tetrachlorobiphenyl	69797-52-0	<b>MSCB-4049</b>	
4-Methylsulfonyl-2,2',5,5'-tetrachlorobiphenyl	60640-55-3	<b>MSCB-4052</b>	
4-Methylsulfonyl-2,3',4',6-tetrachlorobiphenyl	108736-08-9	<b>MSCB-4064</b>	
4-Methylsulfonyl-2,3',4',5-tetrachlorobiphenyl	69797-51-9	<b>MSCB-4070</b>	
4-Methylsulfonyl-2,2',3',4',5-pentachlorobiphenyl	66640-59-3	<b>MSCB-4087</b>	
4-Methylsulfonyl-2,2',4',5,6-pentachlorobiphenyl	149949-87-1	<b>MSCB-4091</b>	
4-Methylsulfonyl-2,2',3',5,6-pentachlorobiphenyl		<b>MSCB-4095</b>	
4-Methylsulfonyl-2,2',4',5,5'-pentachlorobiphenyl	66640-61-7	<b>MSCB-4101</b>	
4-Methylsulfonyl-2,2',4',5,6'-pentachlorobiphenyl		<b>MSCB-4103</b>	
4-Methylsulfonyl-2,3',3',4',6-pentachlorobiphenyl	149949-89-3	<b>MSCB-4110</b>	
4-Methylsulfonyl-2,2',3,3',4',6-hexachlorobiphenyl	104086-16-0	<b>MSCB-4132</b>	
4-Methylsulfonyl-2,2',3',4',5,5'-hexachlorobiphenyl	104086-19-3	<b>MSCB-4141</b>	
4-Methylsulfonyl-2,2',3',4',5,6-hexachlorobiphenyl	116806-76-9	<b>MSCB-4149</b>	
4-Methylsulfonyl-2,2',3',4',5,5',6-heptachlorobiphenyl	153310-30-6	<b>MSCB-4174</b>	


## Technical Note

An important group of persistent PCB metabolites, the methylsulfonyl PCBs ( $\text{MeSO}_2\text{-PCBs}$ ) have been added. Only the 3- and 4- $\text{MeSO}_2$ -PCBs with chlorine atoms in the 2,5- or 2,3,6-position have been found in environmental samples, and therefore only those are offered by AccuStandard.



## Hydroxy-Biphenyls

Compound	CAS No.	NEAT Cat. No.	Unit	100 µg/mL in MeOH Cat. No.	1 mL
2-Hydroxy-biphenyl	90-43-7	<b>HBP-001N</b>	100 mg	<b>HBP-001S</b>	
3-Hydroxy-biphenyl	580-51-8	<b>HBP-002N</b>	100 mg	<b>HBP-002S</b>	
4-Hydroxy-biphenyl	92-69-3	<b>HBP-003N</b>	100 mg	<b>HBP-003S</b>	
2,2'-Dihydroxy-biphenyl	1806-29-7	<b>HBP-004N</b>	100 mg	<b>HBP-004S</b>	
4,4'-Dihydroxy-biphenyl	92-88-6	<b>HBP-006N</b>	100 mg	<b>HBP-006S</b>	
2,5-Dihydroxy-biphenyl	1079-21-6	<b>HBP-009N</b>	100 mg	<b>HBP-009S</b>	



# Other Halogenated Aromatics

Polychlorinated Terphenyls (PCTs) have physical and chemical properties similar to PCBs, and may contain up to 10% of PCBs within the product matrix. They have been used as plasticizers, fire retardants and in various types of coatings. AccuStandard now offers 20 PCT congeners to aid in the monitoring and environmental impact of these pollutants.

## Polychlorinated Terphenyls (PCTs)

Compound	CAS No.	NEAT Cat. No.	Unit	In Toluene Conc.	Cat. No.	1 mL
<i>o</i> -Terphenyl	84-15-1	T-001N	100 mg	-----	---	--
<i>m</i> -Terphenyl	92-06-8	T-002N	100 mg	-----	---	--
<i>p</i> -Terphenyl	92-94-4	T-003N	100 mg	-----	---	--
Tetradecachloro- <i>o</i> -terphenyl		-----	-----	35 µg/mL	T-004S	
Tetradecachloro- <i>m</i> -terphenyl	42429-88-9	-----	-----	35 µg/mL	T-005S	
Tetradecachloro- <i>p</i> -terphenyl	31710-32-4	-----	-----	35 µg/mL	T-006S	
4-Chloro- <i>o</i> -terphenyl NEW		-----	-----	50 µg/mL	T-007S	
4-Chloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-008S	
2,4-Dichloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-009S	
2,5-Dichloro- <i>o</i> -terphenyl NEW		-----	-----	50 µg/mL	T-010S	
2,5-Dichloro- <i>m</i> -terphenyl NEW		-----	-----	50 µg/mL	T-011S	
2,5-Dichloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-012S	
2,4,6-Trichloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-013S	
2,3,5,6-Tetrachloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-014S	
2,4,4",6-Tetrachloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-015S	
2,3,4,5,6-Pentachloro- <i>p</i> -terphenyl NEW		-----	-----	50 µg/mL	T-016S	
Aroclor 5432	63496-31-1	-----	-----	35 µg/mL	T-432S	
Aroclor 5442	12642-23-8	-----	-----	35 µg/mL	T-442S	
Aroclor 5460	11126-42-4	-----	-----	35 µg/mL	T-460S	
Aroclor 6050		-----	-----	35 µg/mL	T-6050S	

## Perchlorinated Aromatics

Compound	CAS No.	NEAT Cat. No.	Unit	In Toluene Conc.	Cat. No.	1 mL
Decachlorobiphenyl	2051-24-3	C-209N	10 mg	-----	---	--
Hexachlorobenzene	118-74-1	A-012	100 mg	-----	---	--
Octachlorodibenzofuran	39001-02-0	F-801N	50 mg	50 µg/mL	F-801S	
Octachlorodibenzo-p-dioxin	3268-87-9	D-801N	50 mg	50 µg/mL	D-801S	
Octachloronaphthalene	2234-13-1	-----	-----	100 µg/mL	N-003S	
Octachlorostyrene	29082-74-4	-----	-----	35 µg/mL	PC-001S	
Perchlorinated p,p'-DDE		-----	-----	35 µg/mL	PC-002S	
Tetradecachloro- <i>o</i> -terphenyl		-----	-----	35 µg/mL	T-004S	
Tetradecachloro- <i>m</i> -terphenyl	42429-88-9	-----	-----	35 µg/mL	T-005S	
Tetradecachloro- <i>p</i> -terphenyl	31710-32-4	-----	-----	35 µg/mL	T-006S	

## Halogenated Aromatics (other than PCBs)

Compound	CAS No.	Conc	Matrix	Cat. No.	1 mL
Decafluorobiphenyl	434-90-2	10 µg/mL	Acetone	M-551.1-SS	
		0.1 mg/mL	AcCN	M-8310-SS	
		0.2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-04	
		1 mg/mL	Acetone	M-551.1-SS-100X	
		2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-04-10X	
4,4'-Dibromobiphenyl	92-86-4	0.1 mg/mL	Ethyl acetate	M-508.1-SS	
		0.2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-05	
		1 mg/mL	Acetone	M-8111-IS-20X	
		2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-05-10X	
4,4'-Dibromo-octafluorobiphenyl	10386-84-2	0.2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-06	
		2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-06-10X	
2,2'-Difluorobiphenyl	388-82-9	0.2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-07	
		1 mg/mL	MeOH	M-1653-IIS	
		2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-07-10X	
		5 mg/mL	Acetone	M-1653-IIS-R	
2-Fluorobiphenyl	321-60-8	0.2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-09	
		2 mg/mL	CH <sub>2</sub> Cl <sub>2</sub>	M-625-09-10X	
Halowax 1013	1321-64-8	0.1 mg/mL	MeOH	N-1013S	
Halowax 1014	1335-87-1	0.1 mg/mL	MeOH	N-1014S	
Halowax 1051		0.1 mg/mL	MeOH	N-1051S	
Halowax 1099	39450-05-0	0.1 mg/mL	MeOH	N-1099S	
		5 mg/mL	MeOH	AS-E0470	
1,2,3,4,5,6,7,8-Octachloronaphthalene	2234-13-1	100 µg/mL	MeOH	N-003S	

# Other Halogenated Aromatics

PCNs were produced in high volume around 1910 in both Europe and the United States. In the United States, PCNs were called Halowax by New York based Union Carbide and was subsequently taken over by Koppers of Pittsburgh, PA.

## Polychlorinated Naphthalenes

### Halowaxes (Koppers PCNs)


Compound	CAS No.	NEAT Cat. No.	Unit	100 µg/mL in MeOH Cat. No.	1 mL
Halowax 1013 (56 %Cl)	1321-64-8	-----	-----	N-1013S	
Halowax 1014 (62 %Cl)	1335-87-1	-----	-----	N-1014S	
Halowax 1051 (70 %Cl)	2234-13-1	-----	-----	N-1051S	
Halowax 1099 (52 %Cl)	39450-05-0	-----	-----	N-1099S	

### Polychlorinated Naphthalene Congeners

Naphthalene	91-20-3	H-152N	100 mg	-----	-----
1-Chloronaphthalene	90-13-1	N-001N	100 mg	-----	-----
2-Chloronaphthalene	91-58-7	N-002N	100 mg	-----	-----
1,4-Dichloronaphthalene	1825-31-6	N-004N	10 mg	-----	-----
Octachloronaphthalene	2234-13-1	-----	-----	N-003S	1 mL
1,2,3,4-Tetrachloronaphthalene	20020-02-4	N-005N	10 mg		

## Chlorodiphenyl Ether

Compound	CAS No.	Conc	Matrix	Cat. No.	1 mL
4-Chlorophenyl phenyl ether	7005-72-3	10 mg	NEAT	CDE-003N	
		50 µg/mL	Isooctane	CDE-003S	
2,4-Dichlorodiphenyl ether		10 mg	NEAT	CDE-007N	
		50 µg/mL	Isooctane	CDE-007S	
4,4'-Dichlorodiphenyl ether	2444-89-5	10 mg	NEAT	CDE-015N	
		50 µg/mL	Isooctane	CDE-015S	
2,2',4,4'-Tetrachlorodiphenyl ether NEW				CDE-047S	
3,3',4,4'-Tetrachlorodiphenyl ether		50 µg/mL	Isooctane	CDE-077S	
3,3',5,5'-Tetrachlorodiphenyl ether NEW				CDE-080S	
2,2',4,4',5-Pentachlorodiphenyl ether NEW				CDE-099S	
2,2,4,4',6-Pentachlorodiphenyl ether NEW				CDE-100S	
2,3,3',4,4'-Pentachlorodiphenyl ether		50 µg/mL	Isooctane	CDE-105S	
2,3',4,4',5-Pentachlorodiphenyl ether	60123-65-1	10 mg	NEAT	CDE-118N	
		50 µg/mL	Isooctane	CDE-118S	
2,2',4,4',5,5'-Hexachlorodiphenyl ether NEW				CDE-153S	
2,2',4,4',5,6-Hexachlorodiphenyl ether NEW				CDE-154S	
Decachlorodiphenyl ether	31710-30-2	10 mg	NEAT	CDE-209N	
		50 µg/mL	Isooctane	CDE-209S	



**AccuStandard®**

**ISO** Guide 34 • 17025 • 9001