

For your registration we recommend to use our online catalogue (ODIN) or the registration forms on our homepage ([www.DRRR.de](http://www.DRRR.de)). You can also use the registration forms on page 30 of this catalogue.

## drinking water

| Art. No. | Proficiency testing type <sup>[A]</sup>                    | requested parameters   | period | To view pricing information visit our online Portal: |
|----------|--|--|--------|--|
| 2010654  | E.coli / Coliforme bacteria drinking water<br>risk group 1 | E.coli / Coliforme bacteria quantitative<br>(2 samples and corresponding matrix)   | Apr-24 | <a href="#">Login or register</a>                    |
| 2010656  | aerobic total count drinking water<br>risk group 1         | aerobic total count quantitative (aerobic total count at 22 °C, aerobic total count at 36 °C<br>(2 samples and corresponding matrix) | Apr-24 |  |
| 2010658  | Enterococcus drinking water quantitative<br>risk group 1/2 | Enterococcus quantitative<br>(2 samples and corresponding matrix)  | Apr-24 |  |
| 2010660  | Ps.aeruginosa drinking water<br>risk group 2               | Ps.aeruginosa quantitative<br>(2 samples and corresponding matrix)   | Jul-24 |  |
| 2010662  | identification of germs drinking water<br>risk group 2     | identification of variable micro organisms quantitative<br>(samples (positive or negative) and corresponding matrix)                 | Apr-24 |  |
| 2010114  | Legionella spp. drinking water<br>risk group 2             | Legionella spp. quantitative<br>(2 samples (positive or negative) and corresponding matrix)  | Sep-24 |  |

## surface- and waste water

| Art. No. | Proficiency testing type <sup>[A]</sup>                              | requested parameters   | period |  |
|----------|--|--|--------|--|
| 2010670  | E.coli / Coliforme bacteria surface- and waste water<br>risk group 1 | E.coli / Coliforme bacteria quantitative<br>(2 samples and corresponding matrix) | Apr-24 |  |
| 2010672  | Enterococcus surface- and waste water<br>risk group 1/2              | Enterococcus quantitative<br>(2 samples and corresponding matrix)                | Apr-24 |  |

[A] = For accredited and non-accredited status please see [Online portal \(ODIN\)](#)

For your registration we recommend to use our online catalogue (ODIN) or the registration forms on our homepage ([www.DRRR.de](http://www.DRRR.de)). You can also use the registration forms on page 30 of this catalogue.

## recooling water

| Art. No. | Proficiency testing type <sup>[A]</sup>                | requested parameters  | period | To view pricing information visit our online Portal: |
|----------|--|---|--------|--|
| 2010958  | Legionella recooling water<br>risk group 2             | <b>Legionella quantitative</b><br>(2 lyophilised samples and water)             | Sep-24 | <a href="#">Login or register</a>                    |
| 2010960  | Pseudomonas aeruginosa recooling water<br>risk group 2 | <b>Pseudomonas aeruginosa quantitative</b><br>(2 lyophilised samples and water) | Jul-24 |  |
| 2010962  | total count recooling water<br>risk group 2            | <b>total count quantitative</b><br>(2 lyophilised samples and water)            | Jul-24 |  |

## mineral water and table water

| Art. No. | Proficiency testing type <sup>[A]</sup>                                 | requested parameters   | period |  |
|----------|---|--|--------|--|
| 2010674  | aerobic total count mineral water and table water<br>risk group 1       | <b>aerobic total count at 20 °C, aerobic total count at 37 °C quantitative</b><br>(2 samples and corresponding matrix) | Apr-24 |  |
| 2010676  | streptococci (faecal) mineral water and table water<br>risk group 2     | <b>streptococci (faecal) mineral water and table water qualitative</b><br>(3 samples and corresponding matrix)         | Oct-24 |  |
| 2010680  | Pseudomonas aeruginosa mineral water and table water<br>risk group 2    | <b>Pseudomonas aeruginosa qualitative</b><br>(3 samples and corresponding matrix)                                      | Oct-24 |  |
| 2010952  | sulfite-reducing, spore-forming anaerobes mineral water<br>risk group 2 | <b>anaerobic, sulfite-reducing spores qualitative</b><br>(3 samples and water)   | Aug-24 |  |
| 2010134  | Coliforme bacteria mineral water and table water<br>risk group 1        | <b>Coliforme bacteria qualitative</b><br>(3 samples and water)   | Oct-24 |  |
| 2010138  | E.coli mineral water and table water<br>risk group 1                    | <b>E.coli qualitative</b><br>(3 samples and water)   | Oct-24 |  |

[A] = For accredited and non-accredited status please see [Online portal \(ODIN\)](#)